## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Mixture CAS No. Mixture

SpotOn Turf Products LLC Trade Name

**Product Code** EN-3451-1

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) **Spray Coating** None

Uses Advised Against

Company Identification

Telephone

E-Mail (competent person)

#### **Emergency telephone number**

Emergency Phone No.

Transportation Emergency: CHEMTREC 24 hr. 1-800-424-

9300 / 1 (703) 527-3887 (Collect calls accepted)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Flam. Aerosol 2; Liquefied gas; Eye Irrit. 2A

Label elements

Hazard Symbol



Signal word(s)

Hazard Statement(s) Flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

Precautionary Statement(s) Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use. Wash hands and exposed skin after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Other hazards None

Revision: February 12, 2015 Page: 1/5

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Alcohols, C9-C11, ethoxylated	1 - 5	68439-46-3	Eye Dam. 1; H318
Propane	1 - 5	74-98-6	Flam. Gas 1, H220 Liquefied gas; H280
Butane	1 - 5	106-97-8	Flam. Gas 1, H220 Liquefied gas; H280
Morpholine	< 1	110-91-8	Flam. Liq. 3; H226 Acute Tox. 4 (oral; Dermal; Inhalation); H302, H312, H332 Skin Corr. 1B, Eye Dam. 1; H314

#### Additional Information - None

#### **SECTION 4: FIRST AID MEASURES**



#### Description of first aid measures

Inhalation Move person to fresh air. If breathing is labored, administer oxygen. If

symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain

medical attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation

persists, get medical advice/attention.

Ingestion Unlikely to be required but if necessary treat symptomatically. Do not

give anything by mouth to an unconscious person. Seek medical

treatment.

Most important symptoms and effects, both acute and

delayed

Aspiration of droplets may cause pulmonary oedema.

Indication of any immediate medical attention and

special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

## **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing Media**

-Suitable Extinguishing Media

-Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray.

Do not use water jet.

Special hazards arising from the substance or

mixture

Highly flammable vapor (flash point below 23°C).

Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing

should be worn in fire conditions. Keep containers cool by spraying

with water if exposed to fire.

Revision: February 12, 2015 Page: 2/5

<sup>\*</sup> The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

emergency procedures Avoid contact with skin and eyes. Avoid breathing gas/spray.

Environmental precautions Prevent liquid entering sewers, basements and work pits.

Methods and material for containment and cleaning up Cover spills with inert absorbent material. Transfer to a container for

disposal or recovery.

Reference to other sections None
Additional Information None

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. – No

smoking. Avoid contact with skin and eyes. Use product in a well-

ventilated area only.

Conditions for safe storage, including any incompatibilities

-Storage temperature Store in a well-ventilated place. Protect from sunlight. Do not expose

to temperatures exceeding 50°C/ 122°F.

-Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals.

Specific end use(s) Spray Coating

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Occupational Exposure Limits**

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.#			#

<sup>\*</sup>Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

None

**Exposure controls** 

Appropriate engineering controls

Provide adequate ventilation to ensure that the occupational exposure

limit is not exceeded.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber or Butyl rubber).



Respiratory protection

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with

protective equipment manufacturer's data.



Revision: February 12, 2015 Page: 3/5

Thermal hazards Not normally required. Use gloves with insulation for thermal

protection, when needed.

Environmental Exposure Controls None known

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance Aerosol spray Color. Colorless Odor Slight hydrocarbon Not available Odor Threshold (ppm) Not available pH (Value) Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): Not available Flash Point (°C) -104 (Propane) **Evaporation Rate** Not available

Flammability (solid, gas)

Extremely flammable

Explosive Limit Ranges

Vapor pressure (Pascal)

Vapor Density (Air=1)

Pensity (n/ml)

Not available

Extremely flammable

2.1% - 9.5% v/v (Propane)

ca. 95 x 10<sup>4</sup> (Propane)

ca. 1.56 @ 0°C (Propane)

Density (g/ml)

Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Propagation Temperature (°C)

Not available

450 (Propane)

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt)

450 (Propane)

Not available

<20

Explosive properties

Oxidizing properties

Not explosive.

Not oxidizing.

Other information

Not available

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Avoid contact with heat and ignition sources.

Incompatible materials Strong oxidizing agents

Hazardous decomposition product(s)``` None known

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

Acute toxicity LD50 >5000 mg/kg-bw Irritation / Corrosivity Causes serious eye irritation.

## **SECTION 12: ECOLOGICAL INFORMATION**

Aquatic toxicity:

Short term Not available Long Term Not available

Revision: February 12, 2015 Page: 4/5

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

#### **SECTION 14: TRANSPORT INFORMATION**

	U.S. DOT	Sea transport <u>(IMDG)</u>	Air transport (ICAO/IATA)
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

## SARA 311/312 - Hazard Categories:

## SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

## SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

#### California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None		

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

Date of preparation: February 5, 2015

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

#### Hazard Statement(s)

- H318: Causes serious eye damage.
- H220: Extremely flammable gas.
- H280: Contains gas under pressure; may explode if heated.

#### Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Revision: February 12, 2015 Page: 5/5